

AUTHOR INDEX TO VOLUME 32

This index lists, in alphabetical order, the names of authors of all articles and book reviews. Full citation is provided under the first author only, with cross reference to this author made from entries to other authors. Book reviews are distinguished from articles by the letter B after the page number.

A

- Aaron R, see Esper GJ; Rutkove SB
 Acosta AM, see Ellis MD
 Ahmad FI, Sripathi N, Patel S: Droopy shoulder syndrome in a male, 400
 Ahn SC, Strommen JA, Harper CM: Bite force and trigeminal nerve repetitive stimulation in myasthenia gravis, 418
 Aimonetti JM, Ribot-Ciscar E, Rossi-Durand C, Attarian S, Pouget J, Roll JP: Functional sparing of intrafusal muscle fibers in muscular dystrophies, 88
 Akins RE, see Theroux MC
 Akman HO, see Ubogu EE
 Alaca R, see Gul T
 Alexandrov AS, see Ishpekova BA
 Alexandrov AS, Ishpekova BA: Electromyographic study in diabetes mellitus patients using residual latency parameter, 393
 Alseoudi S, see Anderson HS
 Alshekhlee A, see Katirji B
 Alshekhlee A, Fernandes-Filho JA, Sukul D, Preston DC: Optimal G1 placement in the lumbrical interosseous latency comparison study, 394
 Al-Shekhlee A, Hachwi RN, Preston DC, Katirji B: New criteria for early electrodiagnosis of acute inflammatory demyelinating polyneuropathy, 66
 Alshekhlee A, Robinson J, Katirji B: Radial sensory sparing in AIDP, 394
 Altay B, see Bademkiran F
 Amann A, see Nigrovic V
 Amaral DT, see Heise CO
 Aminoff MJ: Netter's Neurology, 821-B
 Anderson HS, Alseoudi S, Herbelin L, McVey A, Saperstein D, Barohn R: Sural sparing in chronic inflammatory demyelinating polyneuropathy, 384
 Aoki M, see Suzuki N
 Aoki T, see Konno S
 Araujo RMG, see Kouyoumdjian JA
 Arenas J, see Cejudo P
 Arendt-Nielsen L, see Ge HY
 Armon C: Acquired nucleic acid changes may trigger sporadic amyotrophic lateral sclerosis, 373
 Attarian S, see Aimonetti JM

- Attarian S, Azulay JP, Verschueren A, Pouget J: Magnetic stimulation using a triple-stimulation technique in patients with multifocal neuropathy without conduction block, 710
 Authier FJ, Chario P, Gherardi RK: Skeletal muscle involvement in human immunodeficiency virus (HIV)-infected patients in the era of highly active antiretroviral therapy (HAART), 247
 Awiszus F, see Urbach D
 Aydogdu I, see Bademkiran F
 Ayvar SSK, Mukarthal GB, Radhakrishnan S, Reddy MR: Frequency domain analysis of visual evoked potentials, 423
 Ayvar SSK, Suresh K, Vasanthi D: Sacral evoked potentials in erectile dysfunction: Value and waveform morphology, 392
 Azulay JP, see Attarian S
 Azuma M, see Takamura M

B

- Backonja MM, see Kelly KG
 Bademkiran F, Tataroglu C, Ozdedeli K, Altay B, Aydogdu I, Uludag B, Ertekin C: Electrophysiological evaluation of the genitofemoral nerve in patients with inguinal hernia, 600
 Bain J, see Curry BD
 Bajwa N, see Singh G
 Bansal R, see Singh G
 Baquis GD, Markarian P: Marfan syndrome, dural ectasia, and polyradiculopathy, 420
 Barkhaus PE, Nandedkar SD: Tibial motor conduction study: Reference electrode contribution to the CMAP, 396
 Barner K, see Ney JP
 Barner KC, see Landau ME
 Barohn R, see Anderson HS
 Baron P, Bussini S, Cardin V, Corbo M, Conti G, Galimberti D, Scarpini E, Bresolin N, Wharton SB, Shaw PJ, Silani V: Production of monocyte chemoattractant protein-1 in amyotrophic lateral sclerosis, 541
 Barton ER, Morris L, Kawana M, Bish LT, Tournel T: Systemic administration of L-arginine benefits mdx skeletal muscle function, 751
 Baruah GR, see Baruah JK
 Baruah JK, Baruah GR: Severe degree of restless leg syndrome in peripheral neuropathy, 407
 Baskin GB, see Weimer MB
 Bastyr EJ III, see Vinik AI
 Battaglia F, Quartarone A, Girlanda P: Motor cortex plasticity in neurodegenerative diseases: A study in patients and in an animal model, 422
 Bauer MB, see Hinkle RT
 Bautista J, see Cejudo P
 Beck RB, O'Malley MJ, Stegeman DF, Houtman CJ, Connolly S, Zwarts MJ: Tracking motor unit action potentials in the tibialis anterior during fatigue, 506
 Beer RF, see Ellis MD
 Beggs AH, see Kang PB
 Benda T, see Kelkar P
 Beretta S, see Jann S
 Berth A, see Urbach D
 Bhadra N, Kilgore KL: High-frequency electrical conduction block of mammalian peripheral motor nerve, 782
 Bhatt M, see Souayah N
 Bhatt S, see Nigrovic V
 Birchall MA, see Kingham PJ
 Bish LT, see Barton ER
 Blacker DJ, see Thieben MJ
 Blakely EL, see Schaefer AM
 Bland JDP: The relationship of obesity, age, and carpal tunnel syndrome: More complex than was thought?, 527
 Blasko JM, see Kang PB
 Blok JH, Van Dijk JP, Zwarts MJ, Stegeman DF: Motor unit action potential topography and its use in motor unit number estimation, 280
 Blood CL, see Logigian EL
 Bohlman H, see Katirji B
 Bolton CF: Neuromuscular manifestations of critical illness, 140
 Borda JT, see Weimer MB
 Bor JA, see Overbeck BUH

Bostock H, see Ochoa JL; Tan SV
 Boullis NM, see Garrity-Moses ME
 Bourque PR, see Liem NR
 Boyce BA, see Theroux MC
 Boylan KB, see Petretska A
 Bradonjic K, see Esper GJ
 Brammer MA, see Jann S
 Brandstater MA, see Jablecki CK
 Brannagan TH III, see De Sousa EA;

Goldfarb AR; Tseng VG
 Bresolin N, see Baron P
 Brill V, see Vinik AI
 Britton J, see Brown SC
 Broglio L, Lauria G: Worsening after rituximab treatment in anti-MAG neuropathy, 378
 Brook D, see Machuca-Tzili L
 Brown DL, see Gruis KL
 Brown SC, Torelli S, Ugo I, De Biasia F, Howman EV, Poon E, Britton J, Davies KE, Muntoni F: Syncoilin upregulation in muscle of patients with neuromuscular disease, 715
 Brown WF, see Watson BV
 Bryan WW, see Salajegheh M
 Buchman AS, see Syllantiev C
 Bunnell BA, see Weimer MB
 Burger RC, see Dhand UK
 Burke D, Stålberg E, Torebjörk E, Karl-Erik Hagbarth, MD, 425
 Burniston JG, Chester N, Clark WA, Tan LB, Goldspink DF: Dose-dependent apoptotic and necrotic myocyte death induced by the β_2 -adrenergic receptor agonist, clenbuterol, 767
 Burns A, see Carrion-Jones MJ
 Burt R, see Kingham PJ
 Busis NA, see Jablecki CK
 Bussini S, see Baron P
 Busuttil BE, see Klopogge SJ

C

Campbell WW, see Landau ME; Ney JP
 Campero M, see Ochoa JL
 Campos Y, see Cejudo P
 Cardin V, see Baron P
 Carrion-Jones MJ, Dillingham T, Mukkamala S, Waring W, White K, Burns A: Neuromuscular findings in persons with complete spinal cord injury, 384
 Carrion-Jones MJ, Wertsch JJ: Trends in the use of stainless steel *versus* disposable self-adhesive electrodes, 419
 Caudillo-Cisneros C, see Marquez-Gamino S
 Cejudo P, Bautista J, Montemayor T, Villagómez R, Jiménez L, Ortega F, Campos Y, Sánchez H, Arenas J: Exercise training in mitochondrial myopathy: A randomized controlled trial, 342
 Chang CK, see Lee SH
 Chan RC, see Kao NT; Lee SH
 Chan RC, Lee SH, Lee MJ: Frequency changes of trigger points after needle intramuscular stimulation, 400
 Chapman J, see Syllantiev C
 Chario P, see Authier FJ
 Chaudhry N, see Puri V

Chee YW, see Pica EC
 Cheng HS, Ju MS, Lin CCK: Estimation of peroneal and tibial afferent activity from a multichannel cuff placed on the sciatic nerve, 589
 Chen SP, Sheu JR, Lin ACM, Hsiao G, Fong TH: Decline in titin content in rat skeletal muscle after denervation, 798
 Chen W, see Kao NT
 Chester N, see Burniston JG
 Chinchón I, see Paradas C
 Chin RL, see Goldfarb AR
 Chiodo A, see Haig AJ; Tong HC
 Chiodo A, Haig AJ, Yamakawa KS: Needle EMG and MRI findings in asymptomatic older adults, 420
 Chiodo A, Haig AJ, Yamakawa KS, Tong HC, Quint DJ, Choksi VR: MRI geometry and specific EMG root lesions in lumbar spinal stenosis, 421
 Chmielewski TL, see Farquhar SJ
 Choi EH, Kim JH, Jeong HO, Park SH: Utility of infrared thermography in diagnosis of carpal tunnel syndrome, 388
 Choksi VR, see Chiodo A; Haig AJ
 Clark WA, see Burniston JG
 Claussen GC, see Hatanaka Y; Kurokawa K; Oh SJ
 Cody DB, see Hinkle RT
 Cohen M, see Katirji B
 Colding-Jørgensen E: Phenotypic variability in myotonia congenita, 19
 Coles JA Jr., see Hong J
 Connolly S, see Beck RB
 Conti G, see Baron P
 Conway SR, see Felice KJ
 Cook T, see Kelly KG
 Corbo M, see Baron P
 Cox GA, see Wooley CM
 Croul SE, see Tseng VG
 Cruz-Rodriguez E, see Marquez-Gamino S
 Curry BD, Govindaraju SR, Bain JLW, Zhang LZ, Yan JG, Matloub HS, Riley DA: Nifedipine pretreatment reduces vibration-induced vascular damage, 639

D

Dalakas M, see Lupu V
 Dalakas MC, see Salajegheh M
 Darras BT, see Srinivasan J
 Davies KE, see Brown SC
 De Biasia F, see Brown SC
 de Haan A, see Geerits KH
 Delbecke J, see Prodanov D
 Delgado MM, see Rosales RL
 Del Toro DR, see Patel AT
 De Luna N, see Paradas C
 Del Valle A, Thomas CK: Firing rates of motor units during strong dynamic contractions, 316
 deMello D, see Malone JA
 De Sousa EA, Tanji K, Hays AP, Brannagan TH III: Amyloid identified on skin biopsy to assess epidermal nerve fiber density, 408
 De Sousa EA, Tanji K, Hays AP, Brannagan TH III: Pathologic evidence

of small fiber neuropathy in patients with erythromelalgia, 408
 Dewald JPA, see Ellis MD
 Dhand UK, Burger RC: MuSK antibody positive myasthenia gravis with enlarged thymus, 416
 Dilek N, see Logigian EL
 Dillingham T, see Carrion-Jones MJ
 Dimauro S, see Ubogu EE
 Doherty TJ, see Watson BV
 Dolan E, see Hinkle RT
 Dong H, see Xiao Z
 Dow CP, see Kang PB
 DuHadaway D, see Theroux MC

E

Edgerton VR, see Roy RR
 Ellis MD, see Suresh NL
 Ellis MD, Holubar BG, Acosta AM, Beer RF, Dewald JPA: Modifiability of abnormal isometric elbow and shoulder joint torque coupling after stroke, 170
 Emery MJ, see Weiss MD
 Engel AG, see Petretska A
 England JD, see Weimer MB
 Enoka RM, see Tracy BL
 Ertekin C, see Bademkiran F
 Escolar DM, see Srinivasan J
 Esper GJ, see Rutkove SB
 Esper GJ, Lee KS, Aaron R, Shiffman CA, Bradonjic K, Rutkove SB: Electrical impedance myography in the assessment of age-associated muscle change, 403

F

Farid M, see Matuszczak Y
 Farina D, see Ge HY
 Farquhar SJ, Chmielewski TL, Snyder-Mackler L: Accuracy of predicting maximal quadriceps force from submaximal effort contractions after anterior cruciate ligament injury, 500
 Feldman E, see Smith AG
 Feldman EL, see Gruis KL
 Felice KJ, Jones JM, Conway SR: Facioscapulohumeral dystrophy presenting as infantile facial diplegia and late-onset limb-girdle myopathy in members of the same family, 368
 Fernandes-Filho JA, see Abshkhele A
 Fetzter A, Yarjanian J, Haig AJ, Yamakawa KS: Paraspinal atrophy vs denervation in back pain, spinal stenosis, and controls, 402
 Filho JAF, Nathan BM, Palmert MR, Katirji B: Diabetic amyotrophy in an adolescent responsive to intravenous immunoglobulin, 818
 Fine EJ, Vladutiu G, Wong LJ: Poliosis, mitochondrial deletion, progressive external ophthalmoplegia, 404
 Finestone HM, see Lo JK
 Floeter MK, see Lupu V
 Flore P, see Vivodtzev I
 Fong TH, see Chen SP
 Frankel WN, see Wooley CM
 Franssen SL, see Narayanaswami P

Frauman AG, see Klopogge SJ
 Friedlander M, see Krishnan AV
 Friedman B, see Park E
 Frimel TN, Kapadia F, Gaidosh GS, Li Y, Walter GA, Vandeborne KA: A model of muscle atrophy using cast immobilization in mice, 672
 Frimel TN, Walter GA, Gibbs JD, Gaidosh GS, Vandeborne K: Noninvasive monitoring of muscle damage during reloading following limb disease, 605
 Funakoshi K, see Kobayashi M

G

Gadallah NA: The role of electrodiagnosis and electrotherapy in the management of anorectal congenital anomalies, 393
 Gaidosh GS, see Frimel TN
 Gaines K, see Patel AT
 Galimberti D, see Baron P
 Gallardo E, see Paradis C
 Garrity-Moses ME, Teng Q, Liu J, Tanase D, Boulis NM: Neuroprotective adeno-associated virus Bcl₂L gene transfer in models of motor neuron disease, 734
 Geerits KH, Maganaris CN, Reeves ND, Sargeant AJ, Jones DA, de Haan A: Influence of knee joint angle on muscle properties of paralyzed and nonparalyzed human knee extensors, 73
 Ge HY, Arendt-Nielsen L, Farina D, Madeleine P: Gender-specific differences in electromyographic changes and perceived pain induced by experimental muscle pain during sustained contractions of the upper trapezius muscle, 726
 Geisser DJ, see Haig AJ
 Geisser ME, see Haig AJ
 Gherardi RK, see Authier FJ
 Gibbs JD, see Frimel TN
 Gilbert K, see Lo JK
 Gilchrist JM, see Sinclair C
 Girlanda P, see Battaglia F
 Goktepe AS, see Gul T
 Goldfarb AR, see Souayah N
 Goldfarb AR, Latov N, Brannagan TH III, Chin RL, Sander HW: Demyelinating electrodiagnostic features in patients with polyneuropathy, 385
 Goldspink DF, see Burniston JG
 Goldstein D, see Krishnan AV
 Goldstein J, see Smith AG
 Gooch CL, Pratt RW: Conduction block and median MUNE in carpal tunnel syndrome, 385
 Goodwin FC, Muntioni F: Cardiac involvement in muscular dystrophies: Molecular mechanisms, 577
 Govindaraju SR, see Curry BD
 Gozani SN, see Kong X
 Gozani SN, Megerian T, Kong X: Predictors of distal ulnar nerve conduction from a large NCS database, 396
 Green PH, see Tseng VG
 Griffiths J, see Lemon RN
 Griffiths PG, see Schaefer AM
 Gruis KL, Brown DL, Schoennemann A,

Zebarah VA, Feldman EL: Predictors of noninvasive ventilation tolerance in patients with amyotrophic lateral sclerosis, 808
 Gul T, Goktepe AS, Alaca R, Mohur H: Neurobrucellosis mimicking Guillain-Barre syndrome, 409
 Guo HM, Jenkins JG: Evaluation of Tinel's sign as a screening test for ulnar neuropathy at the elbow, 385
 Gutierrez A, see Weimer MB
 Gutierrez-Romero N, see Marquez-Gamino S

H

Ha C, see Peiler-Cady MC
 Hachwi RN, see Katirji B
 Hachwi RN, see Al-Shekhlee A
 Hage JJ, see Smeulders MJC
 Hagiwara Y, see Ozawa E
 Haig AJ, see Chiodo A; Fetzer A; Hartigan AG; Tong HC
 Haig AJ, Tong HC, Yamakawa KS, Quint DJ, Hoff JT, Chiodo A, Minor JA, Choksi VR, Geisser ME: A masked, double-controlled gold standard study of EDX in spinal stenosis, 421
 Haig AJ, Yamakawa KJ, Tong HC, Chiodo A, Geisser DJ, Quint DJ, Miner JA, Choksi VR, Hoff JT: Electrodiagnostic, MRI and clinical predictors of future function in spinal stenosis, 421
 Hall CW, see Lee SB
 Han M, see Kang PB
 Harlow HJ, see Hong J
 Harper CM, see Ahn SC
 Harper CM Jr, see Thieben MJ
 Hartigan AG, Haig AJ: Perioperative spontaneous paraspinal compartment syndrome, 422
 Haslett JN, see Kang PB
 Hatanaka Y, see Tsukamoto H
 Hatanaka Y, Hemmi S, Morgan MB, Lu L, Claussen GC, Oh SJ: Electrophysiological differences between poliomyelitis, dermatomyositis, and IBM, 404
 Hatanaka Y, Morgan MB, Lu L, Oh SJ, see Hemmi S
 Hattori T, see Kuwabara S
 Hayat G, see Malone JA
 Hays AP, see De Sousa EA
 Heckman H, see Suresh NL
 Heise CO, Toledo SM, Amaral DT, Skaf AY: Diagnostic value of the neurophysiological evaluation of Morton neuroma, 386
 Heise CO, Toledo SM: Combined nerve conduction index for diagnosis of diabetic polyneuropathy, 386
 Hemmi S, see Hatanaka Y
 Hemmi S, Hatanaka Y, Morgan MB, Lu L, Oh SJ: Clinical characteristics between MG and LEMS, 416
 Hennessey JV, see Sinclair C
 Herbelin L, see Anderson HS
 Hernández BA: Idiopathic CIDP and CIDP-like syndrome: Are there differences by electrophysiological testing?, 392

Herold DJ, see Narayanaswami P
 Hervert JW, see Narayanaswami P
 Hilton-Jones D, see Machuca-Tzili L
 Hinkle RT, Dolan E, Cody DB, Bauer MB, Isfort RJ: Phosphodiesterase 4 inhibition reduces skeletal muscle atrophy, 775
 Hodgson WC, see Kuruppu S
 Hoff JT, see Haig AJ
 Holland N, see Patel AT
 Hollenbeck L, see Taniguchi M
 Holsheimer J, see Prodanov D
 Holubar BG, see Ellis MD
 Hong J, Sigg DC, Coles JA Jr., Oeltgen PR, Harlow HJ, Soule CL, Iazzo PA: Hibernation induction trigger reduces hypoxic damage of swine skeletal muscle, 200
 Hong SJ, see Yoon JS
 Hong STK, see Ubogu EE
 Horiguchi G, see Konno S
 Hottinger AF, see Stuplich M
 Houtman CJ, see Beck RB
 Howman EV, see Brown SC
 Hsiao G, see Chen SP
 Huijting PA, see Smeulders MJC
 Hunter SK, see Tracy BL
 Hurlong S, Zaza D, Phung Q, Zhu P, Weber R: Distal latency of ulnar-thenar muscle: Significance in carpal tunnel syndrome, 396
 Hyun JK, see Lee SJ

I

Iazzo PA, see Hong J
 Ikeda S, see Okano T
 Illa I, see Paradis C
 Inoue K, see Sonoo M
 Insola A, Mazzone P, Valeriani M: Somatosensory evoked potential and clinical changes after electrode implant in basal ganglia of parkinsonian patients, 791
 Isbister GK, see Kuruppu S
 Isfort RJ, see Hinkle RT
 Ishpekova BA, see Alexandrov AS
 Ishpekova BA, Muradyan NM, Alexandrov AS: Electrophysiological studies in diabetic neuropathy, 393
 Isobe T, see Sonoo M
 Ito E, see Sonoo M; Tsukamoto H
 Ito E, Sonoo M, Tsukamoto H, Iwata M, Shimizu T: Median nerve conduction in diabetic polyneuropathy and carpal tunnel syndrome, 386
 Ito H, see Konno S
 Itoyama Y, see Suzuki N
 Živković SA, Lacomis D: Dyslipidemia and the use of statins in patients with painful neuropathy, 413
 Živković SA, Lacomis D: Painful sensory neuropathy associated with hereditary spherocytosis, 413
 Iwata M, see Ito E

J

Jablecki CK, Busis NA, Brandstater MA, Krivickas LS, Miller RG, Robinton JE:

Reporting the results of needle EMG and nerve conduction studies: An educational report, 682

Jang KE, see Seo CH

Jann S, Beretta S, Brammer MA: Different types of chronic inflammatory demyelinating polyneuropathy have a different clinical course and response to treatment, 351

Jaworski DM, see Lluri G

Jenkins JG, see Guo HM

Jeong HO, see Choi EH

Jeon JY, see Lee SJ

Jiménez L, see Cejudo P

Jiménez MD, see Paradas C

Jones A, see Kingham PJ

Jones DA, see Geerits KH

Jones HR, see Srinivasan J

Jones J, see Matuszczak Y

Jones JM, see Felice KJ

Ju MS, see Cheng HS

K

Kai MR, see Kuwabara S

Kale A, see Wooley CM

Kandula M, see Sinclair C

Kang PB, Kho AT, Sanoudou D, Haslett JN, Dow CP, Han M, Blasko JM, Lidov HGW, Beggs AH, Kunkel LM: Variations in gene expression among different types of human skeletal muscle, 483

Kao NT, Chan RC, Lee MJ, Chen W: Tissue safety of needle intramuscular stimulation for myofascial trigger point, 401

Kapadia F, see Frimel TN

Karim H, see Souayah N

Karim H, Souayah N, Trifiletti R: Fatal course in a patient with pure congenital muscular dystrophy, 405

Katayama A, see Sonoo M

Katirji B, see Alshekhlee A; Al-Shekhlee A; Filho JAF; Ubogu EE

Katirji B, Hachwi R, Alshekhlee A, Cohen M, Bohlman H: Isolated dropped head due to nemaline myopathy improved with cervical fusion, 405

Kato K, see Kobayashi M

Kawana M, see Barton ER

Kelkar P, Benda T: Onset of CIDP following influenza vaccination, 409

Kelley JG, see Martin WA

Kelly KG, Cook T, Backonja MM: Pain ratings at the threshold are necessary for interpretation of quantitative sensory testing, 179

Kent-Braun JA, see Russ DW

Kho AT, see Kang PB

Kiernan MC, see Krishnan AV

Kilgore KL, see Bhadra N

Kim BH, see Lee SJ

Kim BJ, see Yoon JS

Kim BJ, Yoon JS, Shim KH: Comparison of the ultrasonographic and electrodiagnostic findings in patients with ulnar neuropathy at the elbow, 401

Kim JH, see Choi EH

Kim KJ, see Wertsch JJ

Kim M, Tavee J: Hyperreflexia in a patient with motor axonal variant of GBS, 409

Kim SJ, see Yoon JS

Kingham PJ, Birchall MA, Burt R, Jones A, Terenghi G: Reinnervation of laryngeal muscles: A study of changes in myosin heavy chain expression, 761

King NJC, see Pamphlett R

Klaphajone J: Electromyographic analysis of abdominal muscles during the performance of various sit-up exercises, 418

Klopprogge SJ, Busuttill BE, Frauman AG: TSH receptor protein is selectively expressed in normal human extraocular muscle, 95

Kobayashi M, Kato K, Funakoshi K, Watanabe S, Toyoshima I: Neuropathology of paraneoplastic neuropathy with anti-disialosyl antibody, 216

Kong X, see Gozani SN

Kong X, Timpson W, Megerian JT, Williams M, Gozani SN: Repeatability of nerve conduction measurements using automation, 397

Konno S, Aoki T, Nakajima Y, Horiguchi G, Yoshizawa T, Ito H: Polynomial expressions to approximate curved baselines of F-waves, 397

Kouyoumdjian JA, Araujo RMG: Carpal tunnel syndrome and manual milking: Nerve conduction studies in 43 cases, 414

Kouyoumdjian JA: Peripheral nerve injuries: A retrospective survey of 456 cases, 414

Kreulen M, see Smeulders MJC

Krishnan AV, Goldstein D, Friedlander M, Kiernan MC: Oxaliplatin-induced neurotoxicity and the development of neuropathy, 51

Krivickas LS, see Jablecki CK

Kula TA, see Martin WA

Kum-Jew S, see Pamphlett R

Kunkel LM, see Kang PB

Kurokawa K, see Oh SJ

Kurokawa K, Claussen GC, Oh SJ: Usefulness of sensory nerve conduction of medial femoral cutaneous nerve, 387

Kurokawa K, Sonoo M, Ohsawa Y, Murakami T, Sunada Y: Sensory neuropathy is common in PARK2, 387

Kuruppu S, Isbister GK, Hodgson WC: Phospholipase A₂-dependent effects of the venom from the New Guinea small-eyed snake *Micropechis ikaheka*, 81

Kuwabara S, Kai MR, Ogawara K, Hattori T: Subacute motor neuropathy developing after the induction of hemodialysis, 413

L

Lacomis D, see Živković SA

Lahaye J, see Theroux MC

Landau ME, see Ney JP

Landau ME, Barner KC, Campbell WW: Effect of body mass index on ulnar nerve conduction velocity, ulnar

neuropathy at the elbow, and carpal tunnel syndrome, 360

Landau ME, Barner KC, Murray ED, Campbell WW: Cold elbow syndrome: Spurious slowing of ulnar nerve conduction velocity, 815

Lansdowne S, see Matuszczak Y

Lanza IR, see Russ DW

Latov N, see Goldfarb AR

Lauria G, see Broglio L

Layzer RB, see Miller TM

Lee KS, see Esper GJ; Rutkove SB

Lee MJ, see Chan RC; Kao NT; Lee SH

Lee PJ, see Tan SV

Lee R, see Park E

Lee SB, Hall CW, Wijidicks EFM: Monoplegia due to acute aortic occlusion, 686

Lee SH, see Chan RC

Lee SH, Chan RC, Lee MJ, Chang CK: Electrical activity changes after needle stimulation on myofascial trigger points, 401

Lee SJ, Hyun JK, Jeon JY, Park WB, Kim BH: Nerve conduction study in the asymptomatic hand of unilateral carpal tunnel syndrome, 387

Leflaucheur JP: Intrarectal ground electrode improves the reliability of motor evoked potentials recorded in the anal sphincter, 110

Leis AA, Stokic DS, Olivier J: Statins and polyneuropathy: Setting the record straight, 428

Lemon RN, Griffiths J: Comparing the function of the corticospinal system in different species: Organizational differences for motor specialization?, 261

Lettice JJ, see Martin WA

Lévy P, see Vivodtzev I

Li C, see Xiao Z

Lidov HGW, see Kang PB

Liem NR, Bourque PR, Michaud C: Acute exertional compartment syndrome in the setting of anabolic steroids: An unusual cause of bilateral footdrop, 113

Lin ACM, see Chen SP

Lin CCK, see Cheng HS

Litchy WJ, see Vinik AI

Liu J, see Garrity-Moses ME

Liu PY, see Thieben MJ

Li Y, see Frimel TN

Lluri G, Jaworski DM: Regulation of TIMP-2, MT1-MMP, and MMP-2 expression during C2C12 differentiation, 492

Logigian EL, Blood CL, Dilek N, Martens WB, Moxley RT IV, Wiegner AW, Thornton CA, Moxley RT III: Quantitative analysis of the "warm-up" phenomenon in myotonic dystrophy type 1, 35

Lo JK, Finestone HM, Gilbert K, Woodbury MG: Prospective validation of a clinical predictive rule for carpal tunnel syndrome, 415

Lo JK, Sharma S: Botulinum toxin type A for spasticity in progressive neurodegenerative disease, 415

Lu L, see Hatanaka Y

Lupu V, Meer J, Mora C, Dalakas M,

Floeter MK: Can terminal latency index and F ratios distinguish MAG neuropathy from HMSN-1?, 388
 Lu Z, see Xiao Z

M

Macefield VG, see McNulty PA
 Machuca-Tzili L, Brook D, Hilton-Jones D: Clinical and molecular aspects of the myotonic dystrophies: A review, 1
 Madeleine P, see Ge HY
 Maganaris CN, see Geerits KH
 Mahajan R, see Singh G
 Malamut R, see Patel AT
 Malicdan MC, see Rosales RL
 Malloy MJ, see Robinton JE
 Malone JA, Hayat G, Rai A, deMello D: Susceptibility of rhabdomyolysis in congenital fiber type disproportion, 405
 Maluf KS, see Tracy BL
 Marani E, see Prodanov D
 Marcus S, see Souayah N
 Markarian P, see Baquis GD
 Márquez C, see Paradis C
 Marquez-Gamino S, Gutierrez-Romero N, Caudillo-Cisneros C, Cruz-Rodríguez E, Sotelo-Barroso F: Electromyographic activity of calf muscles in subjects with venous insufficiency, 406
 Martens WB, see Logigian EL
 Martin WA, Kula TA, Lettice JJ, Kelley JG, Robinson T, Ruiz-Portillo SA: Musculocutaneous nerve injury related to a spinal frame table, 410
 Massey EW, see Stücker DE
 Matloub HS, see Curry BD
 Matuszczak Y, Farid M, Jones J, Lansdowne S, Smith MA, Taylor AA, Reid MB: Effects of N-acetylcysteine on glutathione oxidation and fatigue during handgrip exercise, 633
 Mazzone P, see Insola A
 MBBQ Study Group, see Vinik AI
 McArdle J, see Souayah N
 McNulty PA, Macefield VG: Intraneural microstimulation of motor axons in the study of human single motor units, 119
 McVey A, see Anderson HS
 Meekins G, see Weiss MD
 Meer J, see Lupu V
 Megerian JT, see Kong X
 Megerian T, see Gozani SN
 Mehta A, see Tan SV
 Michaud C, see Liem NR
 Miller F, see Theroux MC
 Miller RG, see Jablecki CK
 Miller TM, Layzer RB: Muscle cramps, 431
 Miner JA, see Haig AJ; Tong HC
 Minor JA, see Haig AJ
 Misra LR, Xu L: Demyelinating polyneuropathy and myasthenia gravis after liver transplantation, 416
 Miura T, see Sonoo M; Tsukamoto H
 Mizuno H, see Suzuki N
 Mizuno Y, see Ozawa E
 Mohur H, see Gul T
 Mondelli M, see Padua L
 Montemayor T, see Cejudo P

Moon JS, Souayah N: GBS in a liver transplanted patient on FK506, 410
 Moore J, see Suresh NL
 Mora C, see Lupu V
 Morgan MB, see Hatanaka Y
 Morley KN, see Stücker DE
 Morris L, see Barton ER
 Moxley RT III, see Logigian EL
 Moxley RT IV, see Logigian EL
 Mozeleski DS, see Tallarico E
 Mukartihal GB, see Ayyar SSK
 Mulkamala S, see Carrion-Jones MJ
 Muntoni F, see Brown SC; Goodwin FC
 Muradyan NM, see Ishpekova BA
 Murakami T, see Kurokawa K
 Murata KY, see Takamure M
 Murray ED, see Landau ME
 Myers L, see Weimer MB

N

Nagata T, see Suzuki N
 Nakajima Y, see Konno S
 Nakamichi KI, Tachibana S: Hypercholesterolemia as a risk factor for idiopathic carpal tunnel syndrome, 364
 Nakamura A, see Okano T
 Nakamura Y, see Sawada M
 Nakamura Y, Sawada M, Sonoo M, Nakano I: A serial analysis of conduction blocks after IVIg in a case of CIDP, 388
 Nakano I, see Nakamura Y; Sawada M
 Nandedkar SD, see Barkhaus PE
 Narayanaswami P, Herold DJ, Franssen SL, Hervert JW: Chronic compartment syndrome: Unusual presentation and utility of MRI, 402
 Nathan BM, see Filho JAF
 Ney JP, Landau ME, Barner K, Campbell WW: Novel electrodiagnostic screening test for ulnar neuropathy at the elbow, 397
 Nicolle M, Watson BV: Myasthenia gravis presenting with distal asymmetric weakness, 417
 Nigrovic V, Amann A, Bhatt S: Myasthenia gravis and myasthenic syndrome: Simulation of twitch strength with or without therapy, 745
 Nishida T, see Park E
 Nishimura RN, Sharp FR: Heat shock proteins and neuromuscular disease, 693

O

Oberman KG, see Theroux MC
 Ochoa JL, Campero M, Serra J, Bostock H: Hyperexcitable polymodal and insensitive nociceptors in painful human neuropathy, 459
 Oeltgen PR, see Hong J
 Ogawara K, see Kuwabara S
 Ohsawa Y, see Kurokawa K
 Oh SJ, see Hatanaka Y; Kurokawa K
 Oh SJ, Kurokawa K, Claussen GC, Ryan HF, Jr.: Electrophysiological diagnostic criteria of Lambert-Eaton myasthenic syndrome, 515

Oide T, see Okano T
 Okano T, Yoshida K, Nakamura A, Sasazawa F, Oide T, Takeda S, Ikeda S: Chronic exercise accelerates the degeneration-regeneration cycle and downregulates insulin-like growth factor-1 in muscle of *mdx* mice, 191
 Olivier J, see Leis AA
 O'Malley MJ, see Beck RB
 Onodera Y, see Suzuki N
 Ortega F, see Cejudo P
 Overbeek BUH, van Alfen N, Bor JA, Zwartz MJ: Sural/radial nerve amplitude ratio: Reference values in healthy subjects, 613
 Ozawa E, Mizuno Y, Hagiwara Y, Sasaoka T, Yoshida M: Molecular and cell biology of the sarcoglycan complex, 563
 Ozdedeli K, see Bademkiran F

P

Padua L, Mondelli M: Evolution of hand dysfunction and symptoms in untreated carpal tunnel syndrome, 545
 Palmert MR, see Filho JAF
 Pamphlett R, Kum-Jew S, King NJC: Flaviviruses in motor neuron disease, 108
 Paradis C, Márquez C, Gallardo E, De Luna N, Chinchón I, Recan D, Jiménez MD, Illa I: X-linked Emery-Dreifuss muscular dystrophy and vacuoles: An immunohistochemical characterization, 61
 Park DS, see Seo CH
 Park E, Nishida T, Lee R, Friedman B: Prolonged CMAP duration in 5 cases of steroid myopathy, 406
 Park SH, see Choi EH
 Park TA, see Patel AT
 Park WB, see Lee SJ
 Partida RA, see Tarulli AW
 Patel AT, Gaines K, Malamut R, Park TA, Del Toro DR, Holland N: Usefulness of electrodiagnostic techniques in the evaluation of suspected tarsal tunnel syndrome: An evidence-based review, 236
 Patel S, see Ahmad FI
 Pearson JM, see Robinton JE
 Peiler-Cady MC, Roquelaure Y, Ha C: Epidemiological surveillance of CTS in a French general population, 414
 Peltier A, see Smith AG
 Persounius KE, Sawyer RP: Terminal Schwann cell structure is altered in diaphragm of *mdx* mice, 656
 Petretska A, Boylan KB, Engel AG: Quadriceps femoris MRI in myofibrillar myopathy mimics IBM, 406
 Philippini-Falkenstein KM, see Weimer MB
 Phung Q, see Hurlong S
 Pica EC, Pramono ZAD, Verma KK, San LP, Chee YW: A novel transthyretin mutation V32A in a Chinese man with late-onset amyloid polyneuropathy, 223
 Podnar S: Comparison of different outlier criteria in quantitative anal sphincter electromyography, 395
 Podnar S: Utility of different sacral reflex stimulation techniques, 395

Podnar S: Which patients need referral for sacral electrodiagnostic studies?, 394
 Podnar S, Zidar J: Utility of motor unit potential analysis in diagnosis of facio-scapulo-humeral muscular dystrophy, 403
 Poon E, see Brown SC
 Pouget J, see Aimonetti JM; Attarian S
 Prakash V, see Puri V
 Pramono ZAD, see Pica EC
 Pratt RW, see Gooch CL
 Preston DC, see Alshekhlee A; Al-Shekhlee A; Ubogu EE
 Price KL, see Vinik AI
 Prodanov D, Thil MA, Marani E, Delbeke J, Holsheimer J: Three-dimensional topography of the motor endplates of the rat gastrocnemius muscle, 292
 Puri V, Chaudhry N, Tatke M, Prakash V: Isolated vitamin E deficiency with demyelinating neuropathy, 230

Q

Quartarone A, see Battaglia F
 Quint DJ, see Chiodo A; Haig AJ

R

Radhakrishnan S, see Ayyar SSK
 Rai A, see Malone JA
 Rao A, Venkatesh YS: Antibiotic associated sensory neuropathy, 412
 Ratterree MS, see Weimer MB
 Recan D, see Paradis C
 Reddy MR, see Ayyar SSK
 Reeves, ND, see Geerits KH
 Reid MB, see Matuszczak Y
 Renault F: Thorburn's posture in newborn and young infants, 389
 Ribot-Ciscar E, see Aimonetti JM
 Riley DA, see Curry BD
 Robinson J, see Alshekhlee A
 Robinson T, see Martin WA
 Robinton JE, see Jablecki CK
 Robinton JE, Pearson JM, Malloy MJ: Severity assessment of carpal tunnel syndrome, 419
 Roll JP, see Aimonetti JM
 Roquelaure Y, see Peiler-Cady MC
 Rosales RL, Delgado MM, Malicdan MC: Electrophysiologic prolonged exercise testing in previously biopsied cases with periodic paralysis, myotonic, mitochondrial, and glycogen storage diseases, 407
 Rossi-Durand C, see Aimonetti JM
 Rothman D, see Russ DW
 Roy RR, Zhong H, Siengthai B, Edgerton VR: Activity-dependent influences are greater for fibers in rat medial gastrocnemius than tibialis anterior muscle, 473
 Rubin DI, Shuster EA: Axilla pain as a heralding sign of neoplasm involving the upper thoracic roots, 410
 Ruiz-Portillo SA, see Martin WA
 Russ DW, Lanza IR, Rothman D, Kent-Braun JA: Sex differences in glycolysis during brief, intense isometric contractions, 647

Russell J, see Smith AG
 Rutkove SB, see Esper GJ; Tarulli AW
 Rutkove SB, Esper GJ, Lee KS, Aaron R, Shiffman CA: Electrical impedance myography in the detection of radiculopathy, 335
 Ryan HF, Jr., see Oh SJ
 Ryan MM, see Srinivasan J
 Rymer WZ, see Suresh NL

S

Salajegheh M, Bryan WW, Dalakas MC: Diagnosing ALS in patients with a remote history of poliomyelitis, 384
 Sánchez H, see Cejudo P
 Sander HW, see Goldfarb AR; Souayah N
 San LP, see Pica EC
 Sanoudou D, see Kang PB
 Saperstein D, see Anderson HS
 Sergeant AJ, see Geerits KH
 Sasaoka T, see Ozawa E
 Sasazawa F, see Okano T
 Sawada M, see Nakamura Y
 Sawada M, Sonoo M, Shimizu T, Nakamura Y, Nakano I: An amplitude-dependent conduction slowing criteria for the diagnosis of CIDP, 389
 Sawyer RP, see Persounius KE
 Scarpini E, see Baron P
 Schaefer AM, Blakely EL, Griffiths PG, Turnbull DM, Taylor RW: Ophthalmoplegia due to mitochondrial DNA disease: The need for genetic diagnosis, 104
 Schoennemann A, see Gruis KL
 Schwartz R, see Sylantiev C
 Seburn KL, see Wooley CM
 Seo CH, Jang KE, Park DS: The characteristics of neuropathy in electrical burn patients, 389
 Serra J, see Ochoa JL
 Shapiro BE, see Ubogu EE
 Sharma S, see Lo JK
 Sharp FR, see Nishimura RN
 Shaw PJ, see Baron P
 Sher RB, see Wooley CM
 Sheu JR, see Chen SP
 Shields RW Jr.: Cardiovascular autonomic tests in the diagnosis of small fiber neuropathy, 398
 Shiffman CA, see Esper GJ; Rutkove SB
 Shimizu T, see Ito E; Sawada M; Sonoo M; Tsukamoto H
 Shim KH, see Kim BJ
 Shuster EA, see Rubin DI
 Siengthai B, see Roy RR
 Sigg DC, see Hong J
 Silani V, see Baron P
 Sinclair C, Gilchrist JM, Hennessey JV, Kandula M: Muscle carnitine in hypo- and hyperthyroidism, 357
 Singh G, Bansal R, Mahajan R, Bajwa N: Effect of pralidoxime on neuromuscular transmission in acute organophosphate poisoning, 418
 Singleton JR, see Smith AG
 Skaf AY, see Heise CO
 Smeulders MJC, Kreulen M, Hage JJ, Huijings PA, van der Horst CMAM: Spastic muscle properties are affected

by length changes of adjacent structures, 208
 Smith AG, Russell J, Feldman E, Peltier A, Goldstein J, Singleton JR: The electrophysiologic features of impaired glucose tolerance neuropathy, 390
 Smith MA, see Matuszczak Y
 Snyder-Mackler L, see Farquhar SJ
 Sonoo M, see Ito E; Kurokawa K
 Nakamura Y; Sawada M; Tsukamoto H
 Sonoo M, Katayama A, Miura T, Ito E, Tsukamoto H, Isobe T, Inoue K, Shimizu T: Localization of initial pathology of tabes dorsalis using tibial nerve SEPs, 392
 Sotelo-Barroso F, see Marquez-Gamino S
 Souayah N, see Karim H; Moon JS
 Souayah N, Bhatt M, Goldfarb AR, Sander HW: Posterior antebachial cutaneous neuropathy electrodiagnosis, 398
 Souayah N, Karim H, McArdle J, Marcus S: Severe botulism after focal injection of botulinum toxin, 417
 Soule CL, see Hong J
 Srinivasan J, Escolar DM, Ryan MM, Darras BT, Jones HR: Electrophysiologic features of pediatric sciatic neuropathies, 390
 Sripathi N, see Ahmad FI
 Stålberg E, see Burke D
 Stauber WT, see Willems MET
 Stegeman DF, see Beck RB; Blok JH
 Stephenson JL, see Tracy BL
 Stickler DE, Massey EW, Morley KN: Sural neuropathy: Etiologies and predisposing factors, 411
 Stokic DS, see Leis AA
 Stoupis C, see Stuplich M
 Strommen JA, see Ahn SC
 Stuplich M, Hottinger AF, Stoupis C, Sturzenegger M: Combined femoral and obturator neuropathy caused by synovial cyst of the hip, 552
 Sturzenegger M, see Stuplich M
 Sukul D, see Alshekhlee A
 Sunada Y, see Kurokawa K
 Suresh K, see Ayyar SSK
 Suresh NL, Ellis MD, Moore J, Heckman H, Rymer WZ: Excitatory synaptic potentials in spastic human motoneurons have a short rise-time, 99
 Suzuki N, Aoki M, Mizuno H, Onodera Y, Takahashi T, Nagata T, Tateyama M, Itoyama Y: Late-onset distal myopathy with rimmed vacuoles without mutation in the GNE or dysferlin genes, 812
 Sylantiev C, Buchman AS, Schwartz R, Chapman J: Medial plantar sensory testing facilitates identification of sensory neuropathy, 398

T

Tachibana S, see Nakamichi KI
 Takahashi T, see Suzuki N
 Takamura M, Murata KY, Tamada Y, Azuma M, Ueno S: Calpain-dependent α -fodrin cleavage at the sarcolemma in muscle diseases, 303
 Takeda S, see Okano T
 Tallarico E, Mozeleski DS, Zhu Y, Weber R: The significance of complex

- repetitive discharges in cervical radiculopathy, 399
- Tamada Y, see Takamure M
- Tanase D, see Garrity-Moses ME
- Taniguchi M, Hollenbeck L, Zier J: Safety and efficacy of sedation for pediatric EMG, 419
- Tanji K, see De Sousa EA
- Tan LB, see Burniston JG
- Tan SV, Lee PJ, Walters RJJ, Mehta A, Bostock H: Evidence for motor axon depolarization in Fabry disease, 548
- Tarulli AW, Partida RA, Rutkove SB: Anisotropy of electrical current flow in bovine muscle, 407
- Tataroglu C, see Bademkiran F
- Tateyama M, see Suzuki N
- Tatke M, see Puri V
- Tavee J, see Kim M
- Taylor AA, see Matuszczak Y
- Taylor RW, see Schaefer AM
- Teng Q, see Garrity-Moses ME
- Terenghi G: Reinnervation of laryngeal muscles: A study of changes in myosin heavy chain expression, see Kingham PJ
- Tews DS: Muscle-fiber apoptosis in neuromuscular diseases, 443
- Theroux MC, Oberman KG, Lahaye J, Boyce BA, DuHadaway D, Miller F, Akins RE: Dystrophic neuromuscular junctions associated with motor ability in cerebral palsy, 626
- Thieben MJ, Blacker DJ, Liu PY, Harper CM Jr, Wijdicks EFM: Pulmonary function tests and blood gases in worsening myasthenia gravis, 664
- Thil MA, see Prodanov D
- Thomas CK, see Del Valle A
- Thornton CA, see Logigian EL
- Timpson W, see Kong X
- Toledo SM, see Heise CO
- Tong HC, see Chiodo A; Haig AJ
- Tong HC, Chiodo A, Haig AJ: Are electromyography and MRI complementary for lumbar spinal stenosis?, 391
- Tong HC, Haig AJ: Normal percentage of motor units with polyphasia with monopolar EMG, 403
- Tong HC, Haig AJ, Yamakawa KS, Miner JA: Specificity of needle EMG for lumbar radiculopathy and plexopathy, 422
- Torebjörk E, see Burke D
- Torelli S, see Brown SC
- Toursel T, see Barton ER
- Toyoshima I, see Kobayashi M
- Tracy BL, Maluf KS, Stephenson JL, Hunter SK, Enoka RM: Variability of motor unit discharge and force fluctuations across a range of muscle forces in older adults, 533
- Trifiletti R, see Karim H
- Tseng VG, Croul SE, Green PH, Brannagan TH III: Isolated PNS vasculitis in celiac disease, 411
- Tsukamoto H, see Ito E; Sonoo M
- Tsukamoto H, Sonoo M, Miura T, Ito E, Tzai-Shozawa Y, Hatanaka Y, Shimizu T: Tibial nerve SEP findings in four patients with meningeal carcinomatosis, 391
- Turnbull DM, see Schaefer AM
- Tzai-Shozawa Y, see Tsukamoto H
- ## U
- Ubogu EE: Adjusted median motor distal latency: A novel, specific EDX test for CTS in axonal polyneuropathies, 391
- Ubogu EE: CIDP presenting as cauda equina syndrome in a diabetic, 412
- Ubogu EE, Hong STK, Akman HO, Dimauro S, Katirji B, Preston DC, Shapiro BE: Adult polyglucosan body disease: A case report of a manifesting heterozygote, 675
- Ueno S, see Takamure M
- Ugo I, see Brown SC
- Uludag B, see Bademkiran F
- Urbach D, Berth A, Awiszus F: Effect of transcranial magnetic stimulation on voluntary activation in patients with quadriceps weakness, 164
- ## V
- Valeriani M, see Insola A
- van Alfen N, see Overbeek BUH
- Vandenborne K, see Frimel TN
- Vandenborne KA, see Frimel TN
- van der Horst CMAM, see Smeulders MJC
- Van Dijk JP, see Blok JH
- Vasanthi D, see Ayyar SSK
- Veazey RS, see Weimer MB
- Venkatesh YS, see Rao A
- Verma A: Neuropathic scapuloperoneal syndrome (Davidenkow's syndrome) with chromosome 17p11.2 deletion, 668
- Verma KK, see Pica EC
- Verschueren A, see Attarian S
- Verschueren JJ, see Wirtz PW
- Villagómez R, see Cejudo P
- Vinik AL, Bril V, Litchy WJ, Price KL, Bastyr EJ III, MBBQ Study Group: Surrogate sensory action potential identifies diabetic peripheral neuropathy responders to therapy, 619
- Vivodtzev I, Wuyam B, Flore P, Lévy P: Changes in quadriceps twitch tension in response to resistance training in healthy sedentary subjects, 326
- Vladutiu G, see Fine EJ
- ## W
- Walter GA, see Frimel TN
- Walters RJJ, see Tan SV
- Waring W, see Carrion-Jones MJ
- Watanabe S, see Kobayashi M
- Watson BV, see Nicolle M
- Watson BV, Doherty TJ, Brown WF: Frequency dependent conduction block in peripheral entrapment neuropathies, 399
- Weber R, see Hurlong S; Tallarico E
- Weimer MB, Gutierrez A, Baskin GB, Borda JT, Veazey RS, Myers L, Phillippi-Falkenstein KM, Bunnell BA, Ratterree MS, England JD: Serial electrophysiologic studies in rhesus monkeys with Krabbe disease, 185
- Weiss MD, Emery MJ, Meekins G: Single fiber electromyography in the trembler-j mouse shows increased jitter, 412
- Wertsch JJ, see Carrion-Jones MJ
- Wertsch JJ, Kim KJ: Measurement of reflex timing components with QR hammer system, 400
- Wharton SB, see Baron P
- White K, see Carrion-Jones MJ
- Wiegner AW, see Logigian EL
- Wijdicks EFM, see Lee SB; Thieben MJ
- Willems MET, Stauber WT: Streptomycin and EDTA decrease the number of desmin-negative fibers following stretch injury, 310
- Williams M, see Kong X
- Wintzen AR, see Wirtz PW
- Wirtz PW, Wintzen AR, Verschueren JJ: Lambert-Eaton myasthenic syndrome has a more progressive course in patients with lung cancer, 226
- Wong LJ, see Fine EJ
- Woodbury MG, see Lo JK
- Wooley CM, Sher RB, Kale A, Frankel WN, Cox GA, Seburn KL: Gait analysis detects early changes in transgenic SOD1(G93A) mice, 43
- Wuyam B, see Vivodtzev I
- ## X
- Xiao Z, Yu S, Lu Z, Dong H, Li C, Zeng C: Effects of botulinum-A on sympathetic skin response after drinking hot water, 417
- Xu L, see Misra LR
- ## Y
- Yamakawa KJ, see Haig AJ
- Yamakawa KS, see Chiodo A; Fetzer A; Haig AJ; Tong HC
- Yan JG, see Curry BD
- Yan JG, Matloub HS, Sanger JR, Zhang LL, Riley DA: Vibration-induced disruption of retrograde axoplasmic transport in peripheral nerve, 521
- Yarjanian J, see Fetzer A
- Yoon JS, see Kim BJ
- Yoon JS, Kim BJ, Kim SJ, Hong SJ: The ultrasonographic change of cubital tunnel with elbow flexion, 402
- Yoshida K, see Okano T
- Yoshida M, see Ozawa E
- Yoshizawa T, see Konno S
- Yu S, see Xiao Z
- ## Z
- Zaza D, see Hurlong S
- Zebarah VA, see Gruis KL
- Zeng C, see Xiao Z
- Zhang LZ, see Curry BD
- Zhong H, see Roy RR
- Zhu P, see Hurlong S
- Zhu Y, see Tallarico E
- Zidar J, see Podnar S
- Zier J, see Taniguchi M
- Zwarts MJ, see Beck RB; Blok JH; Overbeek BUH

SUBJECT INDEX TO VOLUME 32

This index gives the first page of the article in which the indexed subject occurs.

A

AANEM meeting abstracts, 384
Abdominal muscle, electromyography and, 418
Acetylcholine, 745
Acetylcholine esterase, 626
Acetylcholine receptors, 626, 745
N-Acetylcysteine, 633
Achilles tendon reflex, 88
Acidosis, 647
Acquired immunodeficiency syndrome (AIDS), 247
Action potentials, 506
Activation failure, 500
Acute exertional compartment syndrome, 113
Acute inflammatory demyelinating polyneuropathy (AIDP), 66, 394
Acute motor axonal neuropathy (AMAN), 409
Adeno-associated virus, 734
Adenosine triphosphate, 647
Adjusted median motor distal latency, 391
 β -Adrenergic receptors, 767
Adult-onset myotonic dystrophy, 1
Adult polyglucosan body disease, 675
Age-associated muscle change, 403, 527
Allelic variations, 19
Allodynia, 459
Amyloid, 408
Amyloid polyneuropathy, 223
Amyotrophic lateral sclerosis, 43, 373, 384, 415, 541, 734, 808
Anabolic steroids, 113
Anal sphincter, 110
Anal sphincter electromyography, 395
Anorectal congenital anomalies, 393
Anterior cruciate ligament injury, 500
Anti-disialosyl antibody, 216
Anti-MAG neuropathy, 378
Antibiotics, 412
Antivenom, 81
Aortic occlusion, 686
Apoptosis, 443, 767
L-Arginine, 751
Automation, 397
Axilla pain, 410
Axonal polyneuropathy, 391
Axoplasmic transport, 521

B

Back pain, electromyography and, 402
Basal ganglia, 791
Bcl-2 gene, 734
Becker muscular dystrophy, 715
Bilateral footdrop, compartment syndrome and, 113
Bite force, in myasthenia gravis, 418
Blood gases, 664
Body mass index, 360
Book reviews: *Netter's Neurology*, 821
Botulinum toxin, 417
Botulinum toxin type A, 415
Botulism, 417
Brachial plexus injury, 410
Burns, 389

C

C nociceptors, 459
Calcium, 310
Calf muscle, 406
Calpain, 303
Cardiac conduction system disease, 577
Cardiomyopathy, 577
Cardiovascular autonomic tests, 398
Carnitine, 357
Carpal tunnel syndrome, 360, 364, 385, 386, 387, 388, 391, 396, 414, 415, 419, 527, 545
Cast immobilization, 605, 672
Cauda equina syndrome, 412
C2C12 cells, 492
Celiac disease, 411
Cell death, 767
Cell differentiation, 492
Central activation ratio (CAR), 500
Central core disease, 715
Cerebral palsy, 208, 626
Cervical fusion, 405
Cervical radiculopathy, 399
Charcot-Marie-Tooth disease type 1A, 412
Cholesterol, 364
Chromosome 17p11.2, 668
Chronic compartment syndrome, 402
Chronic inflammatory demyelinating polyneuropathy (CIDP), 351, 384, 388, 389, 392, 409, 412
Chronic pain, 459

Chronic progressive external ophthalmoplegia (CPEO), 104
CIDP-like syndrome, 392
CLCN1, 19
Clenbuterol, 767
Clinical prediction rules, 415
Cold elbow syndrome, 815
Compartment syndrome, 113, 402, 422
Complex regional pain syndrome (CRPS), 459
Complex repetitive discharges, 399
Compound muscle action potential (CMAP), 396, 406
Conduction block, 385, 399
Conduction slowing, 389
Congenital anomalies, 393
Congenital fiber type disproportion, 405
Congenital muscular dystrophy, 405
Congenital myotonic dystrophy, 1
Contractile properties, of human muscle, 119
Corticospinal function, 261
Cramps, 431
Creatine kinase, 647
Critical illness myopathy (CIM), 140
Critical illness polyneuropathy (CIP), 140
Cubital tunnel, 402
Cycad circinalis, 373
Cysts, synovial, 552
Cytochrome c oxidase (COX), 104

D

Dauidenkov's syndrome, 668
Deep brain stimulation, 791
Degeneration-regeneration cycle, 191
Deletions, 104, 404, 668
Demyelinating neuropathy, 230, 385
Demyelinating polyneuropathy, 416
Denervation, 402, 798
Dermatomyositis, 404
Diabetes mellitus, 351, 393, 412
Diabetic amyotrophy, 818
Diabetic neuropathy, 393
Diabetic peripheral neuropathy, 619
Diabetic polyneuropathy, 386
Diaphragm, 656
Diffuse infiltrative lymphocytosis syndrome (DILS), 247
Disialosyl antibody, 216
Disposable self-adhesive electrodes, 419

Distal asymmetric weakness, and myasthenia gravis, 417
 Distal myopathy with rimmed vacuoles, 812
 Distal ulnar nerve conduction, 396
 Dorsal root ganglionopathy, 412
 Droopy shoulder syndrome, 400
 Dropped head, 405
 Duchenne muscular dystrophy, 191, 303, 656, 715
 Dural ectasia, 420
 Dynamic contractions, 316
 Dysferlin, 812
 Dyslipidemia, 413
 Dystrophin-associated protein complex (DAPC), 715

E

Eccentric contractions, 316
 EDTA (ethylene diamine tetraacetic acid), 310
 Elbow flexion, 402
 Elbow joint torque, 170
 Electrical burns, 389
 Electrical impedance myography, 335, 403, 407
 Electrodes, 419
 Electrodiagnosis, 66, 236, 385, 391, 393, 394, 397, 398, 401, 421, 515
 Electromyography, 236, 316, 335, 391, 393, 403, 406, 418, 421, 726
 anal sphincter, 395
 multichannel, 280
 needle, 420, 422, 682
 pediatric, 419
 quantitative, 395
 single-fiber, 412
 surface, 506
 Electrophysiological testing, in CIDP, 392
 Electrotherapy, 393
 Emerin, 61
 Endplate topography, 292
 Endurance training, 342
 Entrapment neuropathy, 236
 Envenoming, 81
 Epidermal nerve fiber density, 408
 Erectile dysfunction, 392
 Erythromelalgia, 408
 Ethylene diamine tetraacetic acid (EDTA), 310
 Excitatory synaptic potentials, 99
 Exercise, 191, 418
 Exercise testing, 407
 Exercise training, 342
 Extraocular muscle, 95

F

F ratio, 388
 F-waves, 397
 Fabry disease, 548
 Facial diplegia, 368
 Facioscapulohumeral dystrophy, 88, 368, 403
 Fatigue, 506, 633, 647
 Femoral cutaneous nerve, 387
 Femoral nerve, 326, 552
 Fiber phenotype, 473
 Fiber size, 473

FK506, 410
 Flavivirus infection, 108
 α -Fodrin, 303
 Footdrop, 113
 France, carpal tunnel syndrome in, 414
 Frequency-dependent conduction block, 399
 Frequency domain analysis, 423
 Functional neuromuscular stimulation, 577
 Fusimotor drive, 88

G

Gait analysis, 43
 Gastrocnemius muscle, motor endplates in, 292
 Gender differences, 726
 Gene expression, 483
 Gene transfer, 734
 Genetic diagnosis, 104
 Genitofemoral nerve, 600
 Glucose tolerance, impaired, 390
 Glutathione, 633
 Glycogen storage disease, 407
 Glycolysis, 647
 GNE gene, 812
 Graves' disease, 95
 Guillain-Barré syndrome, 66, 409, 410

H

H reflex, 88
 Hagbarth, Karl-Erik, obituary, 425
 Hand-arm vibration syndrome, 521, 639
 Hand dysfunction, in carpal tunnel syndrome, 545
 Handgrip, 633
 Heat shock proteins, 693
 Hemiparetic stroke, 99
 Hemodialysis, 413
 Hereditary sensorimotor neuropathy type 1 (HMSN-1), 388
 Hereditary spherocytosis, 413
 Hernia, inguinal, 600
 Hibernation induction trigger, 200
 High-frequency alternating-current (HFAC), 782
 Highly active antiretroviral therapy (HAART), 247
 Hip joint, 552
 Hot water, and sympathetic skin response, 417
 Human immunodeficiency virus (HIV) infection, 247
 Hyperalgesia, 459
 Hypercholesterolemia, 364
 Hyperreflexia, and Guillain-Barré syndrome, 409
 Hyperthyroidism, 357
 Hypertriglyceridemia, 413
 Hypothyroidism, 357
 Hypoxia, 200

I

Immunoglobulin, intravenous, 351, 388, 818
 Immunoglobulin M antibodies, 216

Impaired glucose tolerance neuropathy, 390
 Inclusion-body myositis, 61, 247, 404, 406
 Infantile facial diplegia, 368
 Infants, 389
 Inflammatory myositis, 303
 Influenza vaccination, 409
 Infrared thermography, 388
 Inguinal hernia, 600
 Insulin-like growth factor-1, 191
 Intensive care units (ICUs), 140
 Intrafusal muscle fibers, 88
 Intraneural motor axon microstimulation, 119
 Intravenous immunoglobulin, 351, 388, 818
 Isometric contractions, 647
 Isometric twitch force, 200
 Isometric voluntary contractions, 316

K

Knee joint angle, 73
 Krabbe disease, 185

L

Lambert-Eaton myasthenic syndrome (LEMS), 226, 416, 515, 745
 Laryngeal muscle, 761
 Late-onset amyloid polyneuropathy, 223
 Late-onset distal myopathy with rimmed vacuoles, 812
 Late-onset limb-girdle myopathy, 368
 Latent myotonia, 19
 Limb disease, 605
 Limb-girdle myopathy, 368
 Lipodystrophy, 247
 Liver transplantation, 410, 416
 Low-density lipoprotein, 364
 Lumbar spinal stenosis, 391, 421
 Lumbosacral radiculopathy, 422
 Lumbrical-interosseous latency comparison study, 394
 Lung cancer, 226
 Lymphoma, 216

M

Magnetic resonance imaging, 113, 391, 402, 406, 420, 421, 422, 605
 Magnetic stimulation, 110, 326
 Malignant lymphoma, 216
 Manual milking, and carpal tunnel syndrome, 414
 Marfan syndrome, 420
 Masticatory weakness, 418
 Matrix metalloproteinase-2, 492
 Maximal voluntary contraction force (MVC), 164
 Mechanical ventilation, 140
 Medial femoral cutaneous nerve, 387
 Medial gastrocnemius muscle, and activity, 473
 Medial plantar sensory testing, 398
 Median nerve enlargement, 364
 Membrane attack complex, 61
 Membrane-type matrix metalloproteinase MT1-MMP, 492

Meningeal carcinomatosis, 391
 Microneurography, 88
Micropechis ikaheka, 81
 Microstimulation, 119
 Milking, and carpal tunnel syndrome, 414
 Mitochondrial disease, 407
 Mitochondrial DNA (mtDNA), 104, 404
 Mitochondrial myopathy, 342
 Möbius syndrome, 368
 Molecular aspects, of myotonic dystrophies, 1
 Monoclonal gammopathy of undetermined significance (MGUS), 351
 Monocyte chemoattractant protein-1, 541
 Monoplegia, 686
 Morton neuroma, 386
 Motoneurons, 99
 Motor axons, 119, 548
 Motor cortex plasticity, 422
 Motor endplates, 292
 Motor evoked potentials, 110
 Motor neuron disease (MND), 108, 734
 Motor neuropathy, 413
 Motor unit action potentials, 280, 403, 506
 Motor unit discharge, 533
 Motor unit firing rates, 316
 Motor unit number estimation, 280, 385
 Motor units, 403
 Multichannel cuffs, 577
 Multichannel electromyography, 280
 Multifocal motor neuropathy, 710
 Multiple organ failure, 140
 Muscle atrophy, 672, 775
 Muscle contractions, 316, 647, 726
 Muscle cramps, 431
 Muscle damage, 200, 605
 Muscle fiber, 473
 Muscle-fiber apoptosis, 443
 Muscle force, 533
 Muscle force-length properties, 208
 Muscle hypoxia, 200
 Muscle length, 73, 316
 Muscle metabolism, 647
 Muscle pain, 726
 Muscle specific kinase (MuSK) antibody, 416
 Muscle spindles, 88
 Muscle strength estimation, 500
 Muscle torque, 73, 170
 Muscle weakness, 164, 357, 500
 Muscular dystrophy, 88, 483, 577, 715, 751
 Musculocutaneous nerve injury, 410
 Mutations, 19, 223, 715
 Myasthenia gravis, 416, 417, 418, 664, 745
 Myasthenic syndrome, 745
 Myelin-associated glycoprotein (MAG), 378
 Myelin-associated glycoprotein (MAG) neuropathy, 388
 Myocytes, 767
 MyoD, 191
 Myofibrillar myopathy, 406
 Myopathy, 303
 Myosin heavy chain, 761
 Myositis, 247
 Myotatic reflexes, 88
 Myotonia congenita, 19
 Myotonic disease, 407
 Myotonic dystrophy, 1

Myotonic dystrophy type 1, 1, 35
 Myotonic dystrophy type 2, 1

N

NC-stat, nerve conduction studies and, 396
 Necrosis, 767
 Needle electromyography, 420, 422, 682
 Needle intra-muscular electrical stimulation, 400, 401
 Nemaline myopathy, 247, 405
 Neoplasms, and thoracic roots, 410
 Nerve conduction block, 782
 Nerve conduction studies, 185, 236, 386, 387, 396, 397, 414, 682
 Neurobrucellosis, 409
 Neurodegenerative disease, and motor cortex plasticity, 422
 Neuromuscular junctions, 626
 Neuromuscular manifestations, of critical illness, 140
 Neuromuscular transmission, 418
 Neuropathology, of paraneoplastic neuropathy, 216
 Neurotoxicity, 51
 New Guinean small-eyed snake (*Micropechis ikaheka*), 81
 Newborn infants, 389
 Nifedipine, 639
 Noninvasive ventilation, 808
 Nucleic acid changes, 373

O

Obesity, 527
 Obturator nerve, 552
 Occupational neuropathy, 521
 Older adults, 420, 533
 Ophthalmopathy, 95
 Ophthalmoplegia, 104
 Opioid blockers, 200
 Organizational differences, in corticospinal system, 261
 Organophosphate poisoning, 418
 Oxaliplatin, 51
 Oxidative capacity, 647
 Oxidative stress, 633

P

Pain ratings, 179, 726
 Painful neuropathy, 413, 459
 Painful sensory neuropathy, 413
 Paraneoplastic neuropathy, 216
 Paraproteinemia, 351
 Paraspinal atrophy, 402
 Paraspinal compartment syndrome, 422
 PARK2, 387
 Parkinson's disease, 422, 791
 Pediatric electromyography, 419
 Pediatric sciatic neuropathy, 390
 Periodic paralysis, 407
 Perioperative spontaneous paraspinal compartment syndrome, 422
 Peripheral entrapment neuropathy, 399
 Peripheral motor nerve, 782
 Peripheral nerve, vibration and, 521
 Peripheral nerve injury, 414

Peripheral nervous system vasculitis, 411
 Peripheral neuropathy, 51, 407, 413
 Peristimulus time histogram (PTH), 99
 Peroneal nerve, 577
 Petajan, Jack H., obituary, 382
 Phenotypic variability, 19
 Phosphodiesterase 4, 775
 Phospholipase A₂, 81
 Plasticity, of motor cortex, 422
 Plexopathy, 422
 Poliomyelitis, 384
 Poliosis, 404
 Polyglucosan bodies, 675
 Polymyositis, 247, 404
 Polyneuropathy, 385, 428
 Polyphasia, of motor unit potentials, 403
 Polyradiculopathy, 420
 Posterior antibrachial cutaneous neuropathy, 398
 Pralidoxime, 418
 Progressive external ophthalmoplegia, 404
 Progressive neurodegenerative disease, spasticity in, 415
 Pulmonary function tests, in myasthenia gravis, 664

Q

Quadriceps femoris muscle, MRI of, 406
 Quadriceps hammer system, 400
 Quadriceps muscle, 164, 316, 500
 Quantitative anal sphincter electromyography, 395
 Quantitative sensory testing (QST), 179

R

Radial nerve, 394, 613
 Radiculopathy, 335, 422
 Raynaud's phenomenon, 639
 Reflex timing, 400
 Rehabilitation, 170, 342, 500
 Reloading, 605
 Reperfusion injury, 200
 Residual latency, 393
 Resistance training, 326
 Restless leg syndrome, 407
 Rhabdomyolysis, 247, 303, 405
 Rimmed vacuoles, 812
 Rituximab, 378

S

Sacral electrodiagnostic studies, 394
 Sacral evoked potentials, 392
 Sacral reflex stimulation, 395
 Sarcoglycan complex, 563
 Sarcolemma, 303
 Scapuloperoneal syndrome, 668
 Schwann cells, 656
 Sciatic nerve, 577
 Sciatic neuropathy, 390
 Sedation, in pediatric EMG, 419
 Sensorimotor polyneuropathy, 223
 Sensory-motor neuropathy, 216
 Sensory nerve action potentials, 384, 394, 619
 Sensory nerve conduction, 387

Sensory neuronopathy, 412
 Sensory neuropathy, 387, 398, 413
 Sepsis, 140
 Septic encephalopathy, 140
 Severity assessment, 419
 Sex differences, 647
 Shoulder joint torque, 170
 Single-fiber electromyography, 412
 Single motor units, 119
 Sit-up exercises, 418
 Skeletal muscle, 200, 247, 357, 407, 473, 483, 672, 751, 775, 798
 Skin biopsy, 408
 Small cell lung cancer, 226
 Small fiber neuropathy, 398, 408
 Sodium dodecyl sulfate-polyacrylamide gel electrophoresis (SDS-PAGE), 798
 Somatosensory evoked potentials, 391, 392, 791
 Spastic-predominant amyotrophic lateral sclerosis, 415
 Spasticity, 99, 208, 415
 Species differences, in corticospinal system, 261
 Spherocytosis, 413
 Spinal cord injury, 73, 384
 Spinal frame table, 410
 Spinal stenosis, 391, 402, 421
 Spinocerebellar ataxia, 230, 415
 Stainless steel electrodes, 419
 Statins, 413, 428
 Steroid myopathy, 406
 Steroids, 113
 Strength training, 326, 342
 Streptomycin, 310
 Stretch injury, 310
 Stroke, 170
 Subacute motor neuropathy, 413
 Subthalamic nucleus stimulation, 791
 Superoxide dismutase SOD1, 43
 Sural nerve, 384, 411
 Sural/radial nerve amplitude ratio, 613
 Sural sensory nerve action potentials, 619
 Surface electromyography, 506
 Sympathetic skin response, 417

Syncoilin, 715
 Synovial cysts, 552
 Systemic inflammatory response syndrome (SIRS), 140

T

Tabes dorsalis, 392
 Tarsal tunnel syndrome (TTS), 236
 Terminal latency index, 388
 Terminal Schwann cells, 656
 Thorburn's posture, 389
 Three-dimensional topography, 292
 Thymus, enlarged, 416
 Thyroid-associated ophthalmopathy (TAO), 95
 Thyroid myopathy, 357
 Thyroid-stimulating hormone receptor, 95
 Tibial motor conduction studies, 396
 Tibial nerve, 391, 392, 577
 Tibial neuropathy, 236
 Tibialis anterior muscle, 473, 506
 Tinell's sign, 385
 Tissue inhibitor of metalloproteinase TIMP-2, 492
 Titin, 798
 Transcranial magnetic stimulation, 164, 422, 710
 Transthyretin, 223
 Trigeminal nerve repetitive stimulation, 418
 Triple-stimulation technique, magnetic stimulation and, 710
 Twitch strength, 745
 Twitch tension, 326

U

Ulnar nerve conduction velocity, 360, 815
 Ulnar neuropathy at the elbow, 360, 385, 397, 401
 Ulnar-thenar muscle, 396
 Ultrasound, 364, 401, 402

Unilateral carpal tunnel syndrome, 387
 Unstable repeat expansion diseases (UREDs), 1
 Upper thoracic roots, 410
 Upper trapezius muscle, 726

V

Vacuoles, 61, 812
 Vanilloid 1 receptors, 459
 Vascular damage, vibration-induced, 639
 Venous insufficiency, 406
 Ventilation, noninvasive, 808
 Vibration damage, 639
 Vibration detection thresholds, 619
 Vibration-induced disruption, 521
 Virtual Reality Modeling Language, 292
 Visual evoked potentials, 423
 Vitamin E deficiency, 230
 Voluntary activation, 164

W

Warm-up phenomenon, 35
 Wasting, 247
 West Nile virus, 108

X

X-linked Emery-Dreifuss muscular dystrophy, 61

Y

Young infants, Thorburn's posture and, 389

Z

Zidovudine, 247